

Electronic Appendix 2. Images of type specimens of selected names in the *Rubus gothicus*-group (*Rubus* ser. *Subthyrsoidei*)

Lectotype of *Rubus gothicus* Frid. et Gelert ("Als. Mellem Sønderborg og Sønderskov", O. Gelert, 3 VIII 1882, C10021218). Reproduced with permission of the Natural History Museum of Denmark.



Lectotype of *Rubus subgothicus* Sprib. ("Kosel: Radoschauer Wald", F. Spribille, 7 VIII 1905, WRSL: WR SS 065046) (photo: E. Lenard)




Holotype of *Rubus lobifolius* Trávn. et Király ("Czech Republic, 68. Moravské podhůří Vysočiny, distr. Blansko, Obora village, forest margin at the road towards Bořitov village, 385 m", B. Trávníček, OL 38008) – Part 1 (photo: M. Oulehlová)



Holotype of *Rubus lobifolius* Trávn. et Király ("Czech Republic, 68. Moravské podhůří Vysočiny, distr. Blansko, Obora village, forest margin at the road towards Bořitov village, 385 m", B. Trávníček, OL 38008) – Part 2 (photo: M. Oulehlová)



Holotype of *Rubus scarbanticus* Király et Trávn. ("Hungary, Győr-Moson-Sopron County, Sopron, Hidegvíz Valley, 0.3 km W-NW of the ruined "Népfőiskola", 392 m s. m., N 47°40'26", E 016°28'03" 8364bd", 7 VI 2020, leg. G. Király, OL 38010) – Part 1 (photo: M. Oulehlová)



Holotype of *Rubus scarbantinus* Király et Trávn. ("Hungary, Győr-Moson-Sopron County, Sopron, Hidegvíz Valley, 0.3 km W-NW of the ruined "Népfőiskola", 392 m s. m., N 47°40'26", E 016°28'03" 8364bd", 7 VI 2020, leg. G. Király, OL 38010) – Part 2 (photo: M. Oulehlová)

